

Фланцы стальные плоские приварные ГОСТ 33259 (код AZ 800) PN 0,25—PN 2,5 МПа

Plate flange according to ГОСТ 33259 (code AZ 800) PN0,25—PN2,5 МПа

Исполнение C011

с соединительным выступом

Исп. C012

с выступом

Исп. C013


с выпуклой

Исп. C014

с шлицом

Исп. C015

с пазом



Код Code	Размеры, мм Dimensions, mm										n	Масса исполнений, кг Mass, kg		
	D	D ₁	D ₂	D ₃	D ₄	D ₅	D ₆	b	d _b	d		C011	C012	C013
AZ800-010-0,25	75	50	35	19	29	18	30	8	15	11	4	0,25	0,25	0,24
AZ800-010-0,6								10				0,31	0,31	0,30
AZ800-010-1,0	90	60	42	24	34	23	35	12				0,46	0,46	0,44
AZ800-010-1,6								14				0,54	0,54	0,53
AZ800-010-2,5	80	55	40	23	33	22	34	14	0,63	0,64		0,61		
AZ800-015-0,25								19	11	8		0,29	0,29	0,27
AZ800-015-0,6	10	0,33	0,33	0,32										
AZ800-015-1,0	12	0,51	0,51	0,49										
AZ800-015-1,6	14	0,61	0,61	0,58										
AZ800-015-2,5	95	65	47	29	39	28	40	14	0,70	0,71		0,68		
AZ800-020-0,25								26	11	10		0,45	0,45	0,42
AZ800-020-0,6	12	0,53	0,53	0,51										
AZ800-020-1,0	14	0,74	0,75	0,71										
AZ800-020-1,6	16	0,86	0,86	0,83										
AZ800-020-2,5	105	75	58	36	50	35	51	14	0,98	0,97	0,94			
AZ800-025-0,25								33	11	10	0,55	0,55	0,52	
AZ800-025-0,6	12	0,64	0,64	0,62										
AZ800-025-1,0	14	0,89	0,89	0,84										
AZ800-025-1,6	16	1,17	1,17	1,13										
AZ800-025-2,5	115	85	68	43	57	42	58	16	1,17	1,17	1,13			
AZ800-032-0,25								39	18	10	0,79	0,79	0,75	
AZ800-032-0,6	13	1,01	1,02	0,98										
AZ800-032-1,0	14	1,40	1,39	1,34										
AZ800-032-1,6	16	1,58	1,58	1,53										
AZ800-032-2,5	135	100	78	51	65	50	66	18	1,77	1,76	1,72			
AZ800-040-0,25								46	14	10	0,95	0,93	0,90	
AZ800-040-0,6	13	1,21	1,19	1,16										
AZ800-040-1,0	15	1,71	1,72	1,67										
AZ800-040-1,6	17	1,96	1,93	1,89										
AZ800-040-2,5	145	110	88	61	75	60	76	19	2,18	2,15	2,11			
AZ800-050-0,25								59	14	10	1,04	1,02	0,98	
AZ800-050-0,6	13	1,33	1,30	1,27										
AZ800-050-1,0	15	2,06	2,03	1,99										
AZ800-050-1,6	19	2,58	2,54	2,50										
AZ800-050-2,5	21	2,71	2,80	2,76										

: 3: 4-85/; 2/94
 9394-949/354
 : 734-; /68/26
 : 74-95/26/82
 6944-62/45/86
 : 54-7; /25/74
 645-46; /4; /53
 ***: 66-49; /25/6; ***
 ***: 394-48/63/7; ***
 695-426/73/95
 ***565-5; 6/77; ; **

: 54-99/56/28
 ***5634-48/25/7; ***
 ***: 65-428/23/6; ***
 6234-94/25; 3
 : 64-; 4/45/89
 : 64-87/26/84
 : 554-8; /24/26
 : 83-425/62; 2
 : 3-426/85/83
 6934-99/35/26
 ***6964-74/42; 3**

573; -77/25/35
 : 7-48; /26/92
 : 374-7; /86; 5
 : 774-42/75/63
 : 53-64; /2; /34
 : 65-42/68; 3
 : 5-449; /8/95
 : 34-43/68/62
 : 84-66/75/64
 5754-59/8; /26
 ***: 634-44/53/38**

564-427; 3/69
 / / ***: 85-52; /3; /37***
 : 34-68/83/86
 : 68-428/25/38
 / ***: 34-52; /68/62***
 ***: 67-46; /5; /9; ***
 : 8; 4-44/53; 5
 5874-89/35/78
 : 34-4; /63/76
 : 84-447/94/53
 : 874-42/87/35

5684-99; : /57
 : 44-85/53/57
 : 6; 34-68/83/86
 ***: 94-96/24/4; ***
 ***5674-88/43/3; ***
 ***: 644-46/45/7; ***
 569-44; /6; /34
 6434-4; /; /26
 573-424/25/83
 : 424-6; /24/86
 ***: 74-8; /74; 5**

***: 8-534; /8/48/69**

***994-956; /74/53**

***: 4-649; /4; /4/8; **

Код Code	Размеры, мм Dimensions, mm										n	Масса исполнений, кг Mass, kg		
	D	D ₁	D ₂	D ₃	D ₄	D ₅	D ₆	b	d _B	d		C011	C012	C013
AZ800-065-0,25	160	130	110	86	100	85	101	11	78	14	4	1,39	1,37	1,32
AZ800-065-0,6								13				1,63	1,60	1,55
AZ800-065-1,0								17				2,80	2,77	2,69
AZ800-065-1,6	180	145	122	95	109	94	110	21	78	18	8	3,42	3,38	3,30
AZ800-065-2,5								3,22				3,21	3,14	
AZ800-080-0,25	185	150	128	101	115	100	116	11	91	14	4	1,84	1,79	1,74
AZ800-080-0,6								15				2,44	2,40	2,35
AZ800-080-1,0								17				3,19	3,13	3,08
AZ800-080-1,6	195	160	133	106	120	105	121	21	91	14	8	3,71	3,71	3,70
AZ800-080-2,5								23				4,06	4,00	3,95
AZ800-100A-0,25	205	170	148	117	137	116	138	11	78	18	4	2,14	2,11	2,01
AZ800-100B-0,25								110				2,05	1,99	1,92
AZ800-100A-0,6								15				2,85	2,81	2,72
AZ800-100B-0,6								116				2,73	2,66	2,60
AZ800-100A-1,0	215	180	158	129	149	128	150	19	78	18	8	3,96	3,94	3,76
AZ800-100B-1,0								116				3,81	3,76	3,61
AZ800-100A-1,6								23				4,73	4,72	4,53
AZ800-100B-1,6	230	190	158	129	149	128	150	116	78	18	8	4,55	4,51	4,35
AZ800-100A-2,5								110				5,92	5,89	5,72
AZ800-100B-2,5								116				5,72	5,65	5,52
AZ800-125A-0,25	235	200	178	146	166	145	167	13	91	18	8	2,60	2,56	2,42
AZ800-125B-0,25								142				2,47	2,38	2,29
AZ800-125A-0,6								17				3,88	3,84	3,70
AZ800-125B-0,6	245	210	184	155	175	154	176	142	91	18	8	3,68	3,59	3,50
AZ800-125A-1,0								21				5,40	5,38	5,18
AZ800-125B-1,0								135				5,15	5,08	4,93
AZ800-125A-1,6	270	220	184	155	175	154	176	25	91	18	8	6,38	6,38	6,15
AZ800-125B-1,6								142				6,08	6,03	5,85
AZ800-125A-2,5	270	220	184	155	175	154	176	135	91	18	8	8,26	8,25	8,23
AZ800-125B-2,5								142				7,94	107	7,91
AZ800-150A-0,25	260	225	202	171	191	170	192	154	91	18	8	3,61	3,62	3,41
AZ800-150B-0,25								13				3,43	3,39	3,23
AZ800-150A-0,6								170				3,20	3,09	3,00
AZ800-150B-0,6	280	240	212	183	203	182	204	154	91	18	8	4,63	4,65	4,43
AZ800-150A-1,0								21				6,92	6,97	6,62
AZ800-150B-1,0								170				6,62	6,62	6,33
AZ800-150A-1,6	300	250	212	183	203	182	204	154	91	18	8	6,24	6,17	5,95
AZ800-150B-1,6								25				8,16	8,21	7,87
AZ800-150A-2,5								170				7,81	7,81	7,52
AZ800-150B-2,5	300	250	212	183	203	182	204	170	91	18	8	7,36	7,29	7,07
AZ800-150B-2,5								27				10,51	10,50	10,22
AZ800-200-0,25	315	280	258	229	249	228	250	154	91	18	8	10,12	10,07	9,83
AZ800-200-0,6								13				9,63	9,51	9,34
AZ800-200-1,0								19				4,73	4,69	4,48
AZ800-200-1,6	335	295	268	239	259	238	260	21	91	18	8	5,89	5,86	5,65
AZ800-200-2,5								27				105	104	7,71
AZ800-250-0,25	370	335	312	283	303	282	304	29	91	18	8	10,10	10,21	9,88
AZ800-250-0,6								18				13,34	13,24	13,01
AZ800-250-1,0								20				6,95	6,92	6,62
AZ800-250-1,6	425	370	335	292	312	291	313	23	91	18	8	7,67	7,64	7,34
AZ800-250-2,5								27				10,65	10,66	10,22
AZ800-300-0,25								28				14,49	14,48	14,06
AZ800-300-0,6	435	395	365	336	356	335	357	31	91	18	8	18,90	18,78	18,52
AZ800-300-1,0								18				9,33	9,22	8,79
AZ800-300-1,6								20				10,28	10,18	9,74
AZ800-300-2,5	440	400	370	343	363	342	364	24	91	18	8	12,90	12,89	12,21
AZ800-350-0,25								28				17,78	17,59	17,12
AZ800-350-0,6	460	410	390	343	363	342	364	32	91	18	8	23,95	23,53	23,29
AZ800-350-1,0								30				10,45	10,33	9,87
AZ800-350-1,6								18				12,58	12,45	12,00
AZ800-350-2,5	485	445	415	386	406	385	407	22	91	18	8	15,85	15,79	14,96
AZ800-350-0,25								24				22,88	22,65	21,99
AZ800-350-0,6	500	460	430	395	421	394	422	30	91	18	8	34,35	34,57	34,18
AZ800-350-1,0								38				34,35	34,57	34,18

Код Code	Размеры, мм Dimensions, mm									n	Масса исполнений, кг Mass, kg													
	D	D ₁	D ₂	D ₃	D ₄	D ₅	D ₆	b	d _b		d	C011	C012	C013										
AZ800-400-0,25	535	495	465	436	456	435	457	18	426	22	16	11,64	44,51	9,96										
AZ800-400-0,6								24					15,20	15,07	14,53									
AZ800-400-1,0	565	515	482	447	473	446	474	26		26		26	21,56	21,51	20,49									
AZ800-400-1,6	580	525						34		30		30	31,00	30,76	29,94									
AZ800-400-2,5	610	550	505					40				33	44,62	44,01	43,56									
AZ800-450-0,25	590	550	520	489	509	488	510	20	480	22	20	14,56	14,35	13,82										
AZ800-450-0,6								24				17,25	17,04	16,52										
AZ800-450-1,0								615		565		532	497	523	496	524	26	26	26	22,76	22,68	21,67		
AZ800-450-1,6								640		585							38	30	30	39,64	39,08	38,55		
AZ800-450-2,5								660		600		555					44		33	51,80	51,10	50,71		
AZ800-500-0,25	640	600	570	541	561	540	562	20	530	22	16	16,01	15,86	15,15										
AZ800-500-0,6								25				19,72	19,57	18,56										
AZ800-500-1,0								670		620		585	549	575	548	576	28	630	26	20	27,70	2102	26,86	
AZ800-500-1,6								710		650							44		33		33	57,01	56,17	55,74
AZ800-500-2,5								730		660		615					48				39	67,30	66,63	66,36
AZ800-600-0,25	755	705	670	635	661	634	662	20	720	26	20	21,35	21,03	20,08										
AZ800-600-0,6								25				26,24	25,91	24,96										
AZ800-600-1,0								780		725		685	651	677	650	678	31	630	30	24	39,40	39,26	37,48	
AZ800-600-1,6								840		770							45		39		39	80,03	79,03	78,80
AZ800-600-2,5												720	49			90,87	89,13		88,91					
AZ800-700-0,25	860	810	775	737	763	736	764	21	720	26	24	29,15	28,73	27,13										
AZ800-700-0,6								27				36,68	36,27	35,28										
AZ800-700-1,0								895		840		800	751	777	750	778	34	920	30	28	59,46	58,58	56,45	
AZ800-700-1,6								910									47		39		39	84,21	83,34	83,06
AZ800-700-2,5								960		875		820					55				45	126,82	124,92	124,11
AZ800-800-0,25	975	920	880	841	867	840	868	21	820	30	24	36,63	36,15	34,14										
AZ800-800-0,6								27				46,14	45,66	43,65										
AZ800-800-1,0								1010		950		905	851	877	850	878	37	920	33	28	79,16	72,89	76,08	
AZ800-800-1,6								1020									49		39		39	104,41	103,51	101,34
AZ800-800-2,5										990		930					25				45	181,43	174,52	174,15
AZ800-900-0,25	1075	1020	980					23	920	30	24	44,20												
AZ800-900-0,6								29				55,10												
AZ800-900-1,0								1110		1050		1005					40	1020	33	28	94,13			
AZ800-900-1,6								1120									54		39		39	128,60		
AZ800-1000-0,25								1175		1120		1080					25		1020		30	28	52,58	
AZ800-1000-0,6	31		64,36																					
AZ800-1000-1,0	1220	1160	1110						43		1220						33				32		118,43	
AZ800-1000-1,6	1255	1170							58								45	45		179,37				
AZ800-1200-0,25	1375	1320	1280						25								1220	30		32			62,36	
AZ800-1200-0,6								34		99,03														
AZ800-1200-1,0								1455	1380	1330						51		1420	39			36	197,44	
AZ800-1200-1,6								1485	1390		71					52			52		297,78			
AZ800-1400-0,25								1575	1520	1480					27	1420			30		36		77,60	
AZ800-1400-0,6	1620	1560	1510												43				33	161,45				
AZ800-1400-1,0	1675	1590	1530												60				45	278,92				
AZ800-1600-0,25	1785	1730	1690												27		1620	30	40	94,30				
AZ800-1600-0,6															1820			1760		1710				
AZ800-1600-1,0								1915	1820	1750					70			52		422,65				
AZ800-1800-0,25								1985	1930	1890					30	1820		30		44	116,40			
AZ800-2000-0,25															2190			2130			2090			
AZ800-2200-0,25	2405	2340	2295												36		2220	33	52		190,30			
AZ800-2400-0,25	2605	2540	2495												41		2420	33	56		237,22			

*** 3: 4-85/; 2/94***
 9394-949/354
 *** 734#; /68/26***
 S: 74-95/26/82
 6944-62/45/86
 6: 54-7; /25/74
 645-46; /4; /53
 ***: 66-49; /25/6; ***
 ***: 394-48/63/7; ***
 695-426/73/95
 ***565-5: 6/77/; ; **

6: 54-99/56/28
 ***5634-48/25/7; ***
 ***: 65-428/23/6; ***
 6234-94/25/; 3
 6: 64-# 4/45/89
 S: 64-87/26/84
 : 554-8; /24/26
 : 83-425/62/; 2
 S: 3-426/85/83
 6934-99/35/26
 ***6964-74/42/; 3*

573; -77/25/35
 6: 7-48; /26/92
 : 374-7; /86/; 5
 " " " 774-42/75/63***
 " " " 53-64; /2; /34***
 S: 65-42/68/; 3
 S: 5-449/; 8/95
 S: 34-43/68/62
 6: 84-66/75/64
 S754-59/8; /26
 ***: 634-44/53/38**

564-427/; 3/69
 / / " 85-52; /3; /37***
 6: 34-68/83/86
 : 68-428/25/38
 / " " 34-52; /68/62***
 ***: 67-46; /5; /9; ***
 : 8; 4-44/53/; 5
 S874-89/35/78
 6: 34-4; /63/76
 S754-59/8; /26
 : 84-447/94/53
 : 874-42/87/35

5684-99/; /57
 6: 44-85/53/57
 S: 44#; /63/75
 ***6: 94-96/24/4; ***
 ***S674-88/43/3; ***
 S69-44; /6; /34
 6434-4; /; /26
 S73-424/25/83
 : 424-6; /24/86
 ***6: 74-8; /74/; 5**

***: 8-534; 8/48/69**

***994-956/; 74/53**

***: 4-649/; 4/; 4/8; **

j wr <lk qo unspvt vt w'~ci HB pv't vt w