

Код Code	Размеры, мм Dimensions, mm													n	Масса исполнений, кг Mass, kg						
	D	D ₁	D ₂	D ₃	D ₄	D ₅	D ₆	D ₈	D ₉	H	b	d ₁	d		C011	C012	C013	C014	C015	C017	
AZ801-032-0,25	120	90	70	49	59	48	90			28	8		14		0,78	0,78	0,72	0,76	0,77		
AZ801-032-0,6										33	12				1,10	1,08	1,04	1,08	1,08		
AZ801-032-1,0										40	13				1,54	1,53	1,45	1,50	1,49		
AZ801-032-1,6	135	100						—	—	43	16	31	18		1,83	1,85	1,78	1,81	1,80	—	
AZ801-032-2,5			78	51	65	50	66			43	16				2,94	2,94	2,88	2,91	2,92	2,87	
AZ801-032-4,0										60	21				—	3,05	3,00	3,03	3,03	2,99	
AZ801-032-6,3	150	110						65	78	60	22		22		—	3,07	3,01	3,04	3,04	2,96	
AZ801-032-10										65	30		26		—	4,42	4,42	4,42	4,42	4,35	
AZ801-032-16	160	115								65	30				1,09	1,04	1,02	1,03	1,04		
AZ801-040-0,25	130	100	80	55	69	54	70			33	9		14		1,36	1,37	1,28	1,30	1,34		
AZ801-040-0,6										35	12				1,83	1,78	1,71	1,74	1,78		
AZ801-040-1,0										42	13	38	18		1,85	1,81	1,77	1,77	1,81	—	
AZ801-040-1,6	145	110								45	16				2,19	2,16	2,10	2,11	2,15		
AZ801-040-2,5			88	61	75	60	76			45	16				3,75	3,71	3,67	3,74	3,67	3,75	
AZ801-040-4,0										65	21				—	4,06	4,00	4,00	4,07	3,95	
AZ801-040-6,3										67	23	37	22		—	4,01	3,98	4,28	4,20	3,97	
AZ801-040-10	165	125						75	88	72	25				—	5,32	5,36	5,31	5,22	5,27	
AZ801-040-16										72	31	36	26		1,26	1,21	1,14	1,18	1,21		
AZ801-040-20	170	124								91	31	36	26		1,53	1,51	1,44	1,46	1,47		
AZ801-050-0,25	140	110	90	66	80	65	81			33	9		14		2,26	2,23	2,15	2,15	2,21		
AZ801-050-0,6										35	12				2,28	2,24	2,16	2,17	2,23	—	
AZ801-050-1,0										42	13	49	18		2,78	2,76	2,47	2,69	2,75		
AZ801-050-1,6	160	125								45	17				2,81	2,79	2,68	2,72	2,78		
AZ801-050-2,5			102	73	87	72	88			45	17	48	18		4,63	4,59	4,50	4,51	4,60	4,50	
AZ801-050-4,0	175	135						85	102	67	23	47	22		—	6,03	5,60	5,94	6,05	6,95	
AZ801-050-6,3										68	25	45	26		—	6,43	6,40	6,49	5,95	6,30	
AZ801-050-10	195	145								115	27	45	26		—	11,11	11,25	9,95	9,85	9,86	
AZ801-050-16								95	129	95	37	46	8		1,62	1,57	1,46	1,53	1,55		
AZ801-050-20	210	160								33	9				1,97	2,06	1,83	1,72	1,75		
AZ801-065-0,25	160	130	110	86	100	85	101			35	12		14		3,17	3,11	2,92				
AZ801-065-0,6										45	15	66	18		3,19	3,17	3,05	3,06	3,14	—	
AZ801-065-1,0										47	15				3,71	3,62	3,60	3,55	3,62		
AZ801-065-1,6	180	145								50	19				—	3,72	3,59	3,60	3,68		
AZ801-065-2,5			122	95	109	94	110			132	72	25	22		6,29	6,16	6,05	6,06	6,19	6,09	
AZ801-065-4,0	200	160								80	29	62	26		—	8,52	8,48	8,41	8,84	8,40	
AZ801-065-6,3								110		140	85	31	26		—	9,38	8,64	8,36	8,23	8,88	
AZ801-065-10	220	170								118	43	68	30		—	19,01	19,20	18,61	18,48	18,97	
AZ801-065-16	260	203						130	167	118	43	68	30		2,43	2,30	2,26	2,29	2,30		
AZ801-065-20										35	11		14		2,76	2,76	2,80	2,65	2,72		
AZ801-080-0,25	185	150	128	101	115	100	116			47	15	78	18		3,67	3,60	3,46	3,54	3,65	—	
AZ801-080-0,6										47	15				4,21	4,15	4,04	4,06	4,17		
AZ801-080-1,0										50	17				4,44	4,32	4,27	4,26	4,48		
AZ801-080-1,6	195	160								52	19				4,80	4,80	4,60	4,69	4,80		
AZ801-080-2,5			133	106	120	105	121			55	21				7,22	7,17	7,00	7,05	7,18	6,87	
AZ801-080-4,0										72	27	77	22		—	9,91	9,85	9,77	9,95	9,80	
AZ801-080-6,3	210	170						115	133	87	31	75	26		—	10,40	10,30	10,16	10,02	10,20	
AZ801-080-10										90	33				—	27,30	27,50	27,28	27,03	27,23	
AZ801-080-16	230	180						130	150	132	51	80	33		2,98	2,70	2,65	2,67	2,71		
AZ801-080-20	290	230						160	190	132	51	80	33		3,35	3,04	3,03	3,03	3,04		
AZ801-100-0,25	205	170	148	117	137	116	138			37	11		18		4,70	4,70	4,49	4,50	4,54	—	
AZ801-100-0,6										38	13				4,90	4,80	4,65	4,72	4,78		
AZ801-100-1,0	215	180								48	17	96	18		6,51	6,58	6,27	6,41	6,49		
AZ801-100-1,6										50	17				7,40	7,06	6,82	7,20	7,28		
AZ801-100-2,5										58	21				10,71	10,70	10,50	10,53	10,67	10,48	
AZ801-100-4,0	230	190	158	129	149	128	150			65	23		22		—	14,65	14,40	14,47	14,65	14,44	
AZ801-100-6,3										77	29	94	26		—	15,40	15,22	15,18	14,93	15,09	
AZ801-100-10	250	200						145	170	97	35	92	30		—	53,22	53,60	53,14	52,89	53,26	
AZ801-100-16	265	210								100	37										
AZ801-100-20	360	292						190	245	175	63	102	39								

Код Code	Размеры, мм Dimensions, mm												n	Масса исполнений, кг Mass, kg							
	D	D ₁	D ₂	D ₃	D ₄	D ₅	D ₆	D ₈	D ₉	H	b	d ₁		d	C011	C012	C013	C014	C015	C017	
AZ801-125-0,25	235	200	178	146	166	145	167			37	11		18	8	3,72	3,65	3,41	3,52	3,57		
AZ801-125-0,6										40	15				4,66	4,24	3,66	4,50	4,55		
AZ801-125-1,0	245	210						—	—	57	19	121			6,74	6,58	6,27	6,12	6,23		
AZ801-125-1,6															6,75	6,76	6,47	6,55	6,66		
AZ801-125-2,5	270	220								65	23		26		9,41	9,45	9,14	9,27	9,37		
AZ801-125-4,0			184	155	175	154	176			25	120				10,00	10,17	9,18	9,97	10,08		
AZ801-125-6,3	295	240								95	33	118	30		17,13	16,94	16,60	16,66	16,91	16,67	
AZ801-125-10	310	250						175	205	112	39				—	23,32	19,30	23,00	23,30	23,04	
AZ801-125-16										115	41	112	33			24,87	23,10	23,89	23,59	23,82	
AZ801-125-20	385	318						190	271	175	73	130	39	12		73,15	65,20	64,05	63,75	64,74	
AZ801-150-0,25	260	225	202	171	191	170	192			38	11		18		4,30	4,22	3,95	4,04	4,13		
AZ801-150-0,6										43	15				5,37	5,85	4,93	5,29	5,35		
AZ801-150-1,0	280	240						—	—	57	19	146	22	8	8,17	8,20	7,77	8,80	8,90		
AZ801-150-1,6															8,30	8,28	7,88	7,96	108		
AZ801-150-2,5	300	250								68	25		26		12,52	12,56	11,90	12,01	12,17		
AZ801-150-4,0			212	183	203	182	204			27	145				13,03	13,20	12,60	12,86	13,03		
AZ801-150-6,3	340	280								105	35	142			24,60	25,40	24,10	24,06	24,44	24,18	
AZ801-150-10	350	290						205	250	125	43	136	33			32,87	31,90	31,73	32,22	31,87	
AZ801-150-16										130	47			12		—	35,04	34,40	31,84	31,65	33,92
AZ801-150-20	440	360						240	306	190	79	150	45			90,19	90,60	90,11	89,76	90,02	
AZ801-200-0,25	315	280	258	229	249	228	250			45	13		18	8	6,92	6,75	6,33	6,55	6,63		
AZ801-200-0,6										50	17				8,37	9,35	7,75	7,98	105		
AZ801-200-1,0	335	295	268					—	—	58	19	202	22		11,35	11,00	10,47	10,28	10,32		
AZ801-200-1,6										21					11,79	11,72	11,28	11,04	11,20		
AZ801-200-2,5	360	310	278							75	27		26		17,44	17,21	16,86	16,36	16,62		
AZ801-200-4,0	375	320		239	259	238	260			85	35	200	30		24,44	24,00	23,57	24,20	24,00		
AZ801-200-6,3	405	345								110	41	198	33		36,60	38,50	36,11	35,74	36,27	36,03	
AZ801-200-10	430	360						265	285	140	51		39			54,24	54,07	51,14	53,90	53,81	
AZ801-200-16			285							145	57	190			—	60,10	60,00	58,24	57,80	57,86	
AZ801-200-20	535	440						275	316	230	89	192	52			158,60	159,00	158,20	158,80	158,50	
AZ801-250-0,25	370	335	312	283	303	282	304			45	16		18	12	9,88	9,61	9,18	9,32	9,43		
AZ801-250-0,6										50	18				10,99	10,69	10,14	12,20	12,30		
AZ801-250-1,0	390	350	320					—	—	60	21	254	22		14,64	14,39	13,86	13,64	13,83		
AZ801-250-1,6	405	355								65	23		26		17,36	15,0	14,30	16,67	16,86		
AZ801-250-2,5	425	370	335							75	29		30		24,40	24,08	23,27	25,37	25,74		
AZ801-250-4,0	445	385		292	312	291	313			98	39	252	33		37,59	37,30	36,50	36,90	37,40		
AZ801-250-6,3	470	400								115	45	246			50,89	53,80	50,30	49,45	50,16	50,08	
AZ801-250-10			345					320	345	160	57		39		—	85,24	85,12	83,37	84,51	85,40	
AZ801-250-16	500	430						330	380	165	65	236				94,40	94,20	92,48	91,93	92,16	
AZ801-250-20	670	572								300	107	254	56	16	—	314,50	315,70	31103	317,49		
AZ801-300-0,25	435	395	365	336	356	335	357			45	16		22	12	13,38	13,35	12,35	11,59	12,67		
AZ801-300-0,6										50	18				14,82	11,28	14,10	13,81	14,11		
AZ801-300-1,0	440	400	370					—	—	60	22	303	26		18,66	19,30	17,70	18,52	18,90		
AZ801-300-1,6	460	410								66	24		26		22,76	22,65	20,83	21,60	22,10		
AZ801-300-2,5	485	430	390							80	32		30		33,29	32,40	31,94	32,42	33,16		
AZ801-300-4,0	510	450		343	363	342	364			112	42	301	33		57,10	50,60	50,30	51,10	52,20		
AZ801-300-6,3	530	460								120	50	294	39	16	68,15	74,60	68,30	65,04	62,52	67,00	
AZ801-300-10			410					375	410	180	66				—	127,78	127,73	125,24	127,41	127,76	
AZ801-300-16	585	500						380		185	74	284	45			141,00	140,00	136,69	136,06	136,56	
AZ801-350-0,25	485	445	415	386	406	385	407			45	16		22	12	16,97	15,93	14,90	14,63	15,00		
AZ801-350-0,6										50	18				17,69	18,65	17,64	16,35	16,72		
AZ801-350-1,0	500	460	430					—	—	60	22	351	26		24,00	24,70	22,56	22,70	23,00		
AZ801-350-1,6	520	470								70	28				32,04	32,00	29,43	30,60	33,10		
AZ801-350-2,5	550	490	450							85	36		33		46,57	45,60	44,68	45,40	46,23		
AZ801-350-4,0	570	510		395	421	394	422			116	48				70,34	69,60	61,00	68,10	68,80		
AZ801-350-6,3	595	525								140	56	342	39		98,68	106,00	98,50	94,71	96,27	96,42	
AZ801-350-10	655	560	465					420	465	195	72	332	52		—	170,94	170,00	167,22	169,56	169,55	
AZ801-400-0,25	535	495		436	456	435	457			45	16		22	16	18,56	18,53	17,30	16,84	17,33		
AZ801-400-0,6										50	18				20,55	19,69	19,30	18,83	19,31		
AZ801-400-1,0	565	515	482					—	—	60	22	398	26		30,00	30,35	27,65	2100	28,50		
AZ801-400-1,6	580	525								75	32		30		43,00	42,64	41,10	41,00	41,70		
AZ801-400-2,5	610	550	505							100	40		33		64,81	63,58	62,41	63,48	61,59		
AZ801-400-4,0	655	585		447	473	446	474			135	54		39		106,76	105,50	105,00	103,80	106,00		
AZ801-400-6,3	670	585	535							155	62	386	45		135,80	151,00	137,00	128,9	130,85	134,93	
AZ801-400-10	715	620						480	535	200	76	376	52		—	216,44	211,86	207,25	210,24	211,10	
AZ801-450-0,25	590	550	520	489	509	488	510			50	16		22		23,63	23,70	22,35	20,22	20,94		
AZ801-450-0,6										55	18				—	23,60	21,90	21,62	22,24		
AZ801-450-1,0	615	565						—	—	65	22	450	26	20	33,33	34,69					

Код Code	Размеры, мм Dimensions, mm												n	Масса исполнения, кг Mass, kg						
	D	D ₁	D ₂	D ₃	D ₄	D ₅	D ₆	D ₈	D ₉	H	b	d ₁		d	C011	C012	C013	C014	C015	C017
AZ801-500-0,25														20	26,76	26,60	25,00	23,11	23,76	
AZ801-500-0,6	640	600	570	541	561	540	562			50	19		22	26,63	29,10	25,90	24,44	25,10		
AZ801-500-1,0	670	620								65	24	501	26	39,20	40,00	37,00	36,91	37,60		
AZ801-500-1,6	710	650	585							90	38		33	70,97	70,32	69,00	61,00	69,90		
AZ801-500-2,5	730	660		549	575	548	576			100	44	500	39	88,91	88,20	86,50	86,48	81,08		
AZ801-500-4,0	755	670								140	58	495	45	123,33	121,00	126,00	121,00	130,00		
AZ801-500-6,3	800									165	66	485	52	192,74	200,89	184,56	193,46	191,96		
AZ801-600-0,25		705								55	19		26	35,79	35,70	33,00	32,90	33,37		
AZ801-600-0,6	755		670	635	661	634	662			65	24		30	48,80	50,00	46,60	45,52	48,70		
AZ801-600-1,0	780	725								90	41	602	39	99,30	97,81	96,73	94,50	96,60		
AZ801-600-1,6	840	770	685							115	49	600	39	123,70	122,00	105,70	119,50	122,17		
AZ801-600-2,5			720	651	677	650	678			140	58	595	52	180,95	195,08	165,78	182,02	179,81		
AZ801-600-4,0	890	795								180	71	585	56	269,27	283,40	255,10	270,34	268,12		
AZ801-600-6,3	925	820	735							55	19		26	44,30	44,10	41,00	40,34	41,60		
AZ801-700-0,25										65	25		30	65,26	64,70	60,50	59,86	62,28		
AZ801-700-0,6	860	810	775	737	763	736	764			95	43	692	39	105,90	105,97	102,00	100,70	101,10		
AZ801-700-1,0	895									125	53	690	45	166,81	164,02	162,70	157,53	160,82		
AZ801-700-1,6	910	840	800	751	777	750	778			160	63	695	52	228,25	246,86	209,59	229,47	226,93		
AZ801-700-2,5	960	875	820							225	76	685	56	300,86						
AZ801-700-4,0	995	900	840							60	19		30	46,15	55,50	52,20	51,49	52,60		
AZ801-700-6,3	1045	935								75	27	792	33	56,17	55,20	52,20	51,67	53,36		
AZ801-800-0,25										95	45		39	87,24	86,10	80,40	81,25	84,28		
AZ801-800-0,6	975	920	880	841	867	840	868			135	55	790	45	130,57	118,79	115,00	124,80	127,60		
AZ801-800-1,0	1010									190	71	795	56	213,90	211,00	209,00	210,00	214,68		
AZ801-800-1,6	1020	950	905	851	877	850	878			225	85	785	62	343,69	367,40	319,93	345,08	342,20		
AZ801-800-2,5	1075	990	930							60	21		30	463,87						
AZ801-800-4,0	1135	1030	960							80	29	892	33	66,35						
AZ801-800-6,3	1165	1050								110	47		39	66,79						
AZ801-900-0,25										145	57		52	103,02						
AZ801-900-0,6	1075	1020	980							215	74	895	56	157,83						
AZ801-900-1,0	1110									265	88	885	62	252,91						
AZ801-900-1,6	1120	1050	1005							60	21		30	436,54						
AZ801-900-2,5	1185	1090	1030							80	29	992	33	954,41						
AZ801-900-4,0	1250	1140								110	49		45	73,44						
AZ801-900-6,3	1285	1170	1070							150	59		56	73,51						
AZ801-1000-0,25										235	77	995	56	119,19						
AZ801-1000-0,6	1175	1120	1080							280	92	985	70	157,83						
AZ801-1000-1,0	1220	1160								65			30	252,91						
AZ801-1000-1,6	1255	1170	1110							70	23		33	436,54						
AZ801-1000-2,5	1315	1210	1140							90	33	1192	39	954,41						
AZ801-1000-4,0	1360	1250								125	51		52	73,44						
AZ801-1000-6,3	1415	1290	1180							160	62		56	73,51						
AZ801-1200-0,25	1375	1320	1280							250	80	1195	62	119,19						
AZ801-1200-0,6	1400	1340	1295							315	95	1185	78	203,39						
AZ801-1200-1,0	1455	1380								65	23		30	312,12						
AZ801-1200-1,6	1485	1390	1330							85	27	1392	33	436,54						
AZ801-1200-2,5	1525	1420	1350							95	32	1592	30	954,41						
AZ801-1200-4,0	1575	1460								65	23		30	119,19						
AZ801-1200-6,3	1665	1530	1380							85	27		33	203,39						
AZ801-1400-0,25	1575	1520	1480							65	23		30	312,12						
AZ801-1400-0,6	1620	1560	1510							85	27		33	436,54						
AZ801-1600-0,25	1785	1730	1690							65	23		30	954,41						
AZ801-1600-0,6	1820	1760	1710							95	32		33	119,19						

*** 3: 4-85/; 2/94***
 9394-949/354
 *** 734-; /68/26***
 5: 74-95/26/82
 6944-62/45/86
 6: 54-7/; 25/74
 645-46; /4; /53
 *** 66-49; /25/6; ***
 *** 394-48/63/7; ***
 695-426/73/95
 ***565-6; 6/77; ; ***

6: 54-99/56/28
 ***5634-48/25/7; ***
 *** 65-428/23/6; ***
 6234-94/25; 3
 6: 64-; 4/45/89
 5: 64-87/26/84
 *** 554-8; /24/26***
 *** 83-425/62; 2***
 5: 3-426/85/83
 6934-99/35/26
 6964-74/42; 3

573; -77/25/35
 6: 7-48; /26/92
 *** 374-7; /86; 5***
 *** 774-42/75/63***
 *** 53-64; /2; /34***
 5: 65-42/68; 3
 5: 5-449; /8/95
 5: 34-43/68/62
 6: 84-66/75/64
 5754-89/8; /26
 *** 634-44/53/38***

564-427; /3/69
 / / *** 85-52; /3; /37***
 6: 34-68/83/86
 *** 68-428/25/38***
 / *** 34-52; /68/62***
 *** 67-46; /5; /9; ***
 *** 8; 4-44/53; 5***
 5874-89/35/78
 6: 34-4; /63/76
 *** 84-447/94/53***
 *** 874-42/87/35***

5684-99; : /57
 6: 44-85/53/57
 5: 44-; /63/75
 ***6: 94-96/24/4; ***
 ***5674-88/43/3; ***
 *** 644-46/45/7; ***
 569-44; /6; /34
 6434-; 4; : /26
 573-424/25/83
 *** 424-6; /24/86***
 6: 74-8; /74; 5

; 8-534; 8/48/69

994-956; 74/53

***; 4-649; 4; 4/8; **

j wr <1ch qo unfpvt vt w!~ci hB pv/t vt w